



HSM SP 5088

HSM SP 5088

Product type description	HSM SP 5088 7,5x40-76 400V	HSM SP 5088 10,5x40-76 3x400V
Order number	2991414114	2992414114
EAN Code	4026631033565	4026631033541
Cutting type	particle cut	particle cut
Security level	2	2
Cutting width	7.5 mm	10.5 mm
Cutting capacity (70g/m²)	500 - 550 sheet	600 - 650 sheet
Intake width	500 mm	500 mm
Cutting speed	210 mm/s	210 mm/s
eclass 5.1	24320704	24320704
Pressing power	85 kN	85 kN
Bale length	400,00 - 950,00 mm	400,00 - 950,00 mm
Bale width	500 mm	500 mm
Bale height	500 mm	500 mm
Power consumption of the motor	11500 W	11500 W
Voltage	400 V	400 V
Frequency	50 Hz	50 Hz
Depth	3222 mm	3222 mm
Width	1246 mm	1246 mm
Height	1795 mm	1795 mm
Weight	1660 kg	1660 kg

HSM SP 5088

Product type description	HSM SP 5088 6,0x40-53 3x400V	HSM SP 5088 1,9x15 3x400V
Order number	2990414114	2993414114
EAN Code	4026631033558	4026631033534
Cutting type	particle cut	particle cut
Security level	3	4
Cutting width	6 mm	1.9 mm
Cutting capacity (70g/m ²)	400 - 450 sheet	120 - 130 sheet
Intake width	500 mm	500 mm
Cutting speed	210 mm/s	210 mm/s
eclass 5.1	24320704	24320704
Pressing power	85 kN	85 kN
Bale length	400,00 - 950,00 mm	400,00 - 950,00 mm
Bale width	500 mm	500 mm
Bale height	500 mm	500 mm
Power consumption of the motor	11500 W	13500 W
Voltage	400 V	400 V
Frequency	50 Hz	50 Hz
Depth	3222 mm	3222 mm
Width	1246 mm	1246 mm
Height	1795 mm	1795 mm
Weight	1660 kg	1790 kg