



HSM V-Press 504

HSM V-Press 504

The entry-level model HSM V-Press 504 allows you to economically dispose of your packaging waste.

- Compact and sturdy design
- Small footprint
- Modern microprocessor controller with membrane keypad and text display
- Selectable programmes for pressing cardboard or plastic foil
- Secure filling flap and bale removal door
- Bale removal and transport with discharge trolley
- HSM TCS (Torsion Control System) for monitoring press ram movement
- Automatic return stroke
- Low maintenance hydraulics

Product type description	HSM V-Press 504
Order number	6151111
EAN Code	4026631040228
Pressing power	40 kN
Specific pressing power	11.2 N/cm ²
Press chamber depth	710 mm
Loading height	660 mm
Loading aperture width	700 mm
Loading aperture height	470 mm
Press chamber width	870 mm
Bale length	800,00 mm
Bale width	500 mm
Bale height	600 mm
Bale weight (max.)	50 kg
Number of strappings	2
Strapping material	polyester tape
Cycle time in idle operation	27 s
Hourly bale output	3 - 6
Type of door	double door
Door lock	lever
Driving power	1.1 kW
Voltage	230 V
Frequency	50 Hz
Depth	787 mm
Width	888 mm
Height	1922 mm
Weight	300 kg

Order no. tape/wire

6205993010